Xieón Life Sciences Pvi. Ltd.		LIQUID SYRUP		-		Please Feel the below details :		
S.NO	PRODUCT NAME	COMPOSITION		PLANT CERTIFICATION	DOCUMENT	Req. Quantity	Packaging specification	Any other Remarks
1	Acetaminophen Oral Suspension	Each 5ml Contains: Acetaminophen USP In a flavoured base . Colour: Quinoline Yellow WS	125 mg q.s	WHO	FSC			
2	Acetaminophen Oral Suspension	Each 5ml Contains: Acetaminophen In a flavoured base Colour: Sunset Yellow	250 mg q.s	WHO	FSC			
3	ActivatedDimethicoe,Magnesium Hydroxe &DriedAluminiumHydroxide Liquid	Each Sm I contains: Activated Dimethicone Magnesium Hydroxide (As Magnesium Hydroxide paste) Dried Aluminium Hydroxide paste) Sorbitol solution (70%) (Mon crystallizing) in a flavoured base Colour- Approved colour use.	50mg 250mg 250mg 1.25gm q.s.	wнo	FSC			
	Alpha Amylase & Pepsin Syrup	Each 5 ml contains: Alpha Amylase (1:2000) (Fungal Diastase derived from Aspergillus onzae digests not less than 37.50 g cocked starch) Pepsin (1:3000) (Digests not less than 37.50 g Of coagulated egg albumin) Flavoured syrupy base Colour – Caramel	18.75mg 12.50mg q.s	wнo	FSC			
	Alpha-Amylase & Papain Syrup	Each 5 ml (teaspoonful) contains: Alpha-Amylase (Bacterial 1:800) Papain Flavoured base Colour: Caramel	100 mg 50mg q.s.	WHO	FSC			
	Alumina, Magnesia & Simethicone Oral Suspension	Each 10ml contains: Alumina Hydroxide gel Eq. to Dried Aluminium Hydroxide Gel Magnesium Hydroxide paste Eq. to Magnesium Hydroxide Simethicone Colour- Approved colour use.	250mg 250mg 50mg	wнo	FSC			
7	Antacid Antigas Liquid	Each 10ml contains: Magnesium Hydroxide (Added as paste) Simethicone Sodium Carboxymethylcellulose Dried Aluminium Hydroxide Gel (Added as paste) In a flavoured base Colour - Approved colour use.	185mg 50mg 100mg 830mg q.s.	wнo	FSC			
8	Bromhexine Hydrochloride Syrups 4mg	Each 5ml Contains	4mg q.s.	WHO	FSC			
9	Bromhexine Hydrochloride Syrups 8mg	Each 5ml Contains Bromhexine Hydrochloride In a flavoured syrupy base Colour: Approve colour use	8mg q.s.	WHO	FSC			
10	Calcium, magnesium, Vitamin D3 & Zinc Suspension	Each Smì contains: Calcium carbonate Eq. to elemental calcium Magnesium Hydroxide Eq. to elemental magnesium Zinc Gluconate Eq. to elemental Zinc Vitamin D3	625mg 250mg 180mg 75mg 14mg 2mg 200IU	wнo	FSC			
11	Cetirizine Suspension	Each Sml contains: Cetirizine H0ydrochloride In a flavoured Syrupy base Colour- Approved colour use.	5mg q.s	WHO	FSC			
12	Cyproheptadine & Tricholine Citrate Syrup	Each Sml Contains Cyproheptadine hydrochloride Tricholine Citrate Sorbitol solution (70%) (Non-crystalline) Flavoured syrupy base	2mg 275mg 2gm q.s.	WHO	FSC			
13	Cyproheptadine Hydrochloride & Tricholine Citrate <b>Syrup</b>	Each 5ml Contains Cyproheptadine Hydrochloride Tricholine Citrate (65%) Flavoured syrupy base Colour – Caramel	2mg 275mg q.s.	WHO	FSC			
14	Cyproheptadine Hydrochloride & Tricholine Citrate <b>Oral Solution</b>	Each 5ml Contains: Cyproheptadine Hydrochloride Tricholine Citrate (65%) In a flavoured Syrupy base Colour: Caramel	2 mg 275 mg q.s.	WHO	FSC			
15	Deflazacort Oral Suspension	Each 5 ml contains: Deflazacort In a flavoured base Each 5 ml contains:	6mg q.s.	WHO	FSC			
16	Dextromethorphan Hydrobromide & Chlorpheniramine Maleate Syrup	Dextromethorphan Hydrobromide Chlorpheniramine Maleate Flavoured syrup base Colour: Approved colour used	10mg 2mg q.s.	wнo	FSC			
17	Dextromethorphan, Phenylephrine Hydrochloride & Chlorpheniramine Maleate Syrup	Each 5 ml contains: Dextromethorphan Hydrobromide Phenylephrine Hydrochloride Chlorpheniramine Maleate Flavoured syrupy base Colour: Ponceau 4R	10mg 5mg 2mg q.s.	wнo	FSC			
18	Diphenhydramine Hydrochloride, Ammonium Chloride, Sodium Citrate & Menthol Syrup	Each Sml contains: Diphenhydramine Hydrochloride Armmonium Chloride Sodium Citrate Menthol In a flavoured base Colour: Approved colour use.	14.08mg 138mg 57.03mg 1.14mg q.s.	wнo	FSC			
19	Disodium Hydrogen Citrate Solution	Each 5ml (one teaspoonful) contains: Disodium Hydrogen Citrate In a palatable base Colour: Approved colour use.	1.53gm q.s.	WHO	FSC			

S.NO	PRODUCT NAME	COMPOSITION		PLANT CERTIFICATION	DOCUMENT	Req. Quantity	Packaging specification	Any other Remarks
20	Dried Aluminium Hydroxide, Magnesium Hydroxide & Dimethicone Oral suspension	Each 5 ml (teaspoonful) contains: Dried Aluminium Hydroxide Magnesium Hydroxide Activated Dimethicone Flavoured base Colour-Approved colour use.	200mg 200mg 25mg q.s.	wнo	FSC			
21	Dried Aluminium Hydroxide, Magnesium Hydroxide & Dimethicone Oral suspension	Each 5 ml (teaspoonful) contains: Dried Aluminium Hydroxide Magnesium Hydroxide Activated Dimethicone Flavoured base Colour- Approved colour use.	200mg 200mg 25mg q.s.	wнo	FSC			
22	Ferric Ammonium Citrate, Folic Acid & Cyanocobalamin Syrup	Each 15 ml contains: Ferric Ammonium Citrate (eq. to elemental Iron S0mg) Folic Acid Cyanocobalamin Sorbitol solution (70%) Flavoured base	250mg 1mg 5mcg 1.5gm q.s.	WHO	FSC			
23	Ferric Ammonium Citrate, Folic Acid & Cyanocobalamin Syrup	Each 15 ml contains: Ferric Ammonium Citrate (eq. to elemental Iron 22.55mg) Folic Acid Cyanocobalamin Flavoured base	110mg 1.5mg 15mcg q.s.	wнo	FSC			
24	Ferrous Ascorbate & Folic Acid Suspension	Each Sml contains: Ferrous Ascorbate Eq. to elemental Iron Folic Acid In a flavoured base Colour: Approved colour use Each Sml contains:	30mg 550mcg q.s	wнo	FSC			
25	Ferrous Ascorbate, Folic Acid & Cyanocobalamin Suspension	Ferrous Ascorbate Eq. to elemental Iron Folic Acid Cyanocobalamin triturate Eq. to Cyanocobalamin In a flavoured base Colour: Approved colour use	30mg 0.5mg 2.5mcg q.s.	wнo	FSC			
26	Ferrous Bis Glycinate, Folic Acid, Vitamin B12 & Zinc Syrup	Each 5 ml contains: Iron Amino Acid Chelate as Ferrous Bis Givinate (75mg) Eq. to Elemental Iron Folic Acid Vitamin B12 Zinc Picolinate (26mg) Eq. to Elemental Zinc Excipients	15mg 0.25mg 3.75mcg 5.5mg q.s.	wнo	FSC			
27	Fexofenadine Hydrochloride Suspension	Colour- Approved colour use. Each 5 ml (teaspoonful) contains: Fexofenadine Hydrochloride In a flavoured base Colour- Approved colour use.	30mg q.s.	WHO	FSC			
28	Fungal Diastase & Pepsin Syrup	Each 5ml contains: Fungal Diastase (1:1200) Pepsin (1:3000) In a flavoured base Colour: Caramel	50mg 10mg q.s.	wно	FSC			
29	Fungal Diastase & Pepsin Syrup	Each 15ml contains: Fungal Diastase (1:1200) Pepsin (1:3000) In a flavoured base Colour: Caramel	50mg 10mg q.s.	wно	FSC			
30	Hematinic syrup of Iron, Folic acid, Zinc & Vitamin B12	Each 15ml contains: Ferric Ammonium Citrate (eq. to elemental iron 32.8mg Folic acid Vitamin B12 Zinc sulphate Monohydrate in a flavoured syrupp base Colour: Caramel & Erythrosine	160mg 1mg 7.5mcg 44mg q.s.	wнo	FSC			
31	Ibuprofen Oral Suspension	Each 5ml Contains: Ibuprofen In a flavoured base Colour: Approve colour use	100 mg q.s.	WHO	FSC			
32	Lactulose Oral Solution	Each 5ml contains: Lactulose Concentrate Eq. to Lactulose In a flavoured base Each 15ml (one tablespoonful) contains:	3.35gm q.s.	WHO	FSC			
33	Lactulose Solution	Lactulose Concentrate Eq. to Lactulose In a flavoured base Each 5ml contains:	10 gm q.s.	WHO	FSC			
34	Levocetirizine Dihydrochloride & Montelukast Sodium Oral Solution	Levocetirizine Dihydrochloride Montelukast Sodium Eq. to Montelukast In a flavoured syrupy base Colour: Approved colour use Colour: Quinoline Yellow WS & Erythrosine Supra	2.5mg 4mg q.s.	wнo	FSC			
35	Levocetirizine Dihydrochloride Oral Solution	Each 5ml Contains: Levocetirizine Dihydrochloride In a flavoured Syrupy base Colour: Sunset Yellow FCF	2.5 mg q.s.	wно	FSC			
36	Levocetirizine Dihydrochloride Oral Solution	Each 5ml Contains: Levocetirizine Dihydrochloride In a flavoured Syrupy base Colour- Approved colour use. Each 5 ml contains:	2.5 mg q.s.	wнo	FSC			
37	Levocetirizine Hydrochloride & Ambroxol Hydrochloride Syrup	Levocetirizine Hydrochloride Ambroxol Hydrochloride Excipients Colour- Approved colour use.	2.5mg 30mg q.s.	wнo	FSC			
38	Levocetirizine Hydrochloride & Ambroxol Hydrochloride Syrup	Each 5 ml contains: Levocetirizine Hydrochloride Ambroxol Hydrochloride Excipients Colour - Approved colour use.	5mg 30mg q.s.	wнo	FSC			
39	Levocetirizine Hydrochloride Syrup	Each 5ml contains: Levocetirizine Hydrochloride In flavoured syrupy base Colour- Approved colour use.	2.5mg q.s.	WHO	FSC			

S.NO	PRODUCT NAME	COMPOSITION		PLANT CERTIFICATION	DOCUMENT	Req. Quantity	Packaging specification	Any other Remarks
40	Levosalbutamol, Ambroxol & Gualphenesin Syrup	Each 5ml contains: Levosalbutamol sulphate Eq. to Levosalbutamol Ambroxol Hydrochloride Guaiphenesin In a flavoured syrup base Colour: Approved colour use	1mg 30mg 50mg q.s	wнo	FSC			
41	Lycopene with Minerals & Vitamins Suspension	Each 10m Icontains: Lycopene Niacinamide Pyridoxine Hydrochloride Cyanocobalamin Folic Acid Selenium (as Sodium Selinate) Zinc (as Zinc Gluconate Manganese (as Manganese Gluconate) Iodine (as Potassium Iodide) Copper (as Cupric Sulphate ) Filavoured syrup base Colour: Approved colour use	2000 mcg 25mg 1.5mg 1mcg 100mcg 35mcg 3mg 2mg 100mcg 500mcg 9.5.	WHO	FSC			
42	Lycopene with Minerals & Vitamins Suspension	Each 10ml contains: Lycopene (10%) Niacinamide Pyridoxine Hydrochloride Cyanocobalamin Folic Acid Selenium (as Sodium Selinate) Zinc (as Zinc Gluconate Manganese (as Manganese Gluconate ) Iodine (as Potasium Iodide Copper (as Cupric Sulphate Filavoured syrup base Colour: Approved colour use	2000 mcg 25mg 1.5mg 100mcg 35mcg 3mg 2mg 100mcg 500mcg q.s.	WHO	FSC			
43	Magaldrate & Simethicone Oral Suspension	Each 5 ml contains: Magaldrate (as anhydrous) Simethicone In a flavoured base Colour: Approved colour use	400 mg 20 mg q.s.	WHO	FSC			
44	Magaldrate, Simethicone & Oxetacaine Oral Suspension	Each 5 ml contains: Magaldrate (anhydrous) Simethicone emulsion Oxetacaine In a flavoured base	540mg 50mg 10mg q.s.	WHO	FSC			
45	Mebendazole Oral Suspension	Each 5ml Contains: Mebendazole In a flavoured base q.s. Colour: Approve colour use Each 5ml Contains:	100 mg q.s. 125 mg	wнo	FSC			
46	Metronidazole Oral Suspension	Metronidazole Benzoate Eq. to Metronidazole In a flavoured base Colour: Approve colour use	q.s.	WHO	FSC			
47	Milk of Magnesia & Liquid Paraffin Oral Emulsion	Each 15ml contains; Milk of Magnesia Liquid Paraffin Colour- Approved colour use.	11.25ml 3.75ml	WHO	FSC			
48	Milk of Magnesia, Liquid Paraffin & Sodium Picosulfate Oral Emulsion	Each Sml contains; Milk of Magnesia Liquid Paraffin Sodium Picosulfate Colour- Approved colour use.	3.75ml 1.25ml 3.33mg	WHO	FSC			
49	Ofloxacin Oral Solution	Each 5ml contains: Ofloxacin In a flavoured syrupy base Colour- Approved colour use.	100mg q.s.	WHO	FSC			
50	Ofloxacin Oral Solution	Each 5ml contains: Ofloxacin In a flavoured syrupy base Colour- Approved colour use.	50mg q.s.	WHO	FSC			
51	Ofloxacin Oral Suspension	Each 5ml contains: Ofloxacin In a flavoured base	100mg q.s.	wнo	FSC			
52	Ofloxacin Oral Suspension IP	Each 5ml contains: Ofloxacin In a flavoured base	50mg q.s.	WHO	FSC			
53	Ofloxacin, Metronidazole Benzoate & Simethicone Suspension	Each 5ml contains: Ofloxacin Metronidazole Benzoate Eq. to Metronidazole Simethicone In a flacoured syrupy base Colour- Approved colour use.	50mg 120mg 10mg q.s.	wнo	FSC			
54	Ondansetron Oral Solution IP	Each 5ml contains: Ondansetron Hydrochloride Eq. to Ondansetron In a flavoured syrupy base Colour- Approved colour use.	2mg q.s.	WHO	FSC			
55	Oxetacaine, Aluminium Hydroxide & Magnesium Hydroxide Gel	Each 5ml contains: Oxetacaine Aluminium Hydroxide (Added as Aluminium Hydroxide Paste Eq. to 0.380gm of Dried Aluminium Hydroixde ) Magnesium Hydroxide (Added as magnesium Hydroxide paste) Excipients	10mg 0.291gm 98mg q.s.	wно	FSC			
56	Paediatric Co-Trimoxazole Suspension	Each 5ml Contains: Trimethoprim Sulphamethoxazole In a flavoured base Colour: Approve colour use	40 mg 200 mg q.s.	wнo	FSC			
57	Paracetamol & Mefenamic Acid Oral Suspension	Each 5ml contains: Paracetamol Mefenamic Acid In a flavoured base Colour: Approved colour use.	250mg 100mg q.s.	WHO	FSC			
58	Paracetamol & Mefenamic Acid Oral Suspension	Each 5ml Contains: Paracetamol Mefenamic Acid In a flavoured base Colour: Quinoline Yellow WS	125 mg 50 mg q.s	WHO	FSC			

S.NO	PRODUCT NAME	COMPOSITION		PLANT CERTIFICATION	DOCUMENT	Req. Quantity	Packaging specification	Any other Remarks
59	Paracetamol & Mefenamic Acid Oral Suspension	Each 5ml contains: Paracetamol Mefenamic Acid In a flavoured base Colour: Approved colour use.	125mg 50mg q.s.	WHO	FSC			
60	Paracetamol & Aceclofenac Suspension	Each 5ml contains: Paracetamol Aceclofenac In a flavoured base Colour: Approved colour use.	125mg 50mg q.s.	WHO	FSC			
61	Paracetamol Oral Solution	Each 5ml Contains: Paracetamol In a flavoured base Colour: Approve colour use	125 mg q.s.	WHO	FSC			
62	Paracetamol Oral Suspension	Each 5ml Contains: Paracetamol In a flavoured base Colour: Quinoline Yellow WS	125 mg q.s.	WHO	FSC			
63	Paracetamol Oral Suspension	Each Sml Contains: Paracetamol In a flavoured base Colour: Sunset Yellow	250mg q.s.	WHO	FSC			
64	Paracetamol Peadiatric Oral Suspension	Each 5 ml contains: Paracetamol In a flavoured base Colour: Approved colour use	125 mg q.s.	wно	FSC			
65	Paracetamol Peadiatric Oral Suspension	Each 5 ml contains: Paracetamol In a flavoured base Colour: Approved colour use	250mg q.s.	WHO	FSC			
66	Paracetamol, Phenylephrine & Cetirizine Suspension	Each Sml contains: Paracetamol Phenylephrine Hydrochloride Cetritzine Hydrochloride In a flavoured base Colour- Approved colour use.	250mg 2.5mg 2.5mg q.s	WHO	FSC			
67	Paracetamol, Phenylephrine & Cetirizine Syrup	Each 5ml contains: Paracetamol Phenylephrine Hydrochloride Cetirizine Hydrochloride In a flavoured base	125mg 5 mg 2.5 mg q.s	wнo	FSC			
68	Paracetamol, Phenylephrine & Chlorpheniramine Maleate Syrup	Rach Sini Contains: Paracetamol Phenylephrine Hydrochloride Chlorpheniramine Maleate Flavoured syrup base Colour: Ponceau AR	250mg 5mg 2mg q.s.	wнo	FSC			
69	Paracetamol, Phenylephrine & Chlorpheniramine Maleate Syrup	Each Sml contains: Paracetamol Phenylephrine Hydrochloride Chlorpheniramine Maleate Flavoured syrup base Colour: Ponceau 4R	125mg 5mg 2mg q.s.	wнo	FSC			
70	Paracetamol, Phenylephrine, Chlorpheniramine, Sodium Citrate & Menthol Syrup	Each Sml contains: Paracetamol Phenylephrine Hydrochloride Chlorpheniramine Maleate Sodium Citrate Menthol Flavoured syrup base Colour: Ponceau 4R	125 mg 5mg 0.5 mg 60 mg 1 mg q.s.	WHO	FSC			
71	Phenylephrine Hydrochloride & Chlorpheniramine maleate Syrup	Each 5ml contains: Phenylephrine Hydrochloride Chlorpheniramine maleate In a flavoured syrupy base Colour: Approved colour use.	5mg 2mg q.s.	wнo	FSC			
72	Potassium Citrate & Citric Acid Oral Solution USP	Each 5ml contains: Potassium Citrate Monohydrate Citric Acid Monohydrate In a flavoured base (the potassium ion content is approximately 2mEq per mi) Colour - Approved colour use.	1100mg 334mg q.s.	WHO	FSC			
73	Pyridoxine Hydrochloride, Niacinamide, Cyanocobalamin with L-Lysine Hydrochloride Syrup	Each 5 ml contains: Pyridoxine Hydrochloride Niacinamide Cyanocobalamin L-Lysine Hydrochloride Flavoured syrupy base Colour-Approved colour use.	0.75mg 15mg 2mcg 37.5mg q.s.	wнo	FSC			
74	Sodium Feredetate Oral Solution B.P.	Each 5 ml contains: Sodium Feredetate (eq. to 33 mg elemental Iron) Flavoured syrupy base Each 5 ml contains: Sodium Feredetate	231mg q.s.	wнo	FSC			
75	Sodium Feredetate, Folic Acid & Vitamin B12 Syrup	(eq. to 33mg elemental Iron) Folic Acid Vitamin B12 Flavoured syrupy base Colour- Approved colour use.	231mg 1.5mg 15mcg q.s.	WHO	FSC			
76	Sucralfate & Oxetacaine Suspension	Each 5 ml contains: Sucralfate Oxetacaine Flavoured Syrupy base	1 gm 20 mg q.s.	wнo	FSC			
77	Sucralfate & Oxetacaine Suspension	Each 10 ml contains: Sucralfate Oxetacaine Flavoured Syrupy base	1 gm 20 mg q.s.	wнo	FSC			
78	Terbutaline Sulphate & Choline Theophyllinate Syrup	Each 5 ml contains: Terbutaline Sulphate Choline Theophyllinate In a flavoured base	1.25mg 50mg q.s.	wнo	FSC			
79	Terbutaline Sulphate, Bromhexine Hcl, Guaiphenesin & Menthol Syrup	Each 5ml contains: Terbutaline Sulphate Bromhexine Hydrochloride Guaiphenesin Menthol Flavoured Syrupy base	1.25mg 4 mg 50 mg 1mg q.s.	wнo	FSC			

S.NO	PRODUCT NAME	COMPOSITION		PLANT CERTIFICATION	DOCUMENT	Req. Quantity	Packaging specification	Any other Remarks
80	Terbutaline, Ambroxol, Guaiphenesin & Menthol Syrup	Each 5ml contains: Terbutaline Sulphate Ambroxol Hydrochloride Guaiphenesin Menthol Flavoured syrupy base Colou:: Approved colour use	1.25 mg 15 mg 50 mg 2.5 mg q.s.	wнo	FSC			
81	Vitamin A Drops	Each ml contains: Vitamin A Concentrate (oil form synthetic) In a flavoured base	100000 IU q.s.	wнo	FSC			
82	Vitamin B-complex with L- Lysine Syrup	Each Smì contains: L-Lysine Monohydrachloride Thiamine Hydrachloride Ribofiavine Sodium Phosphate Pyridoxine Hydrachloride D-Panthenol Nicotinamide Flavoured syrupy base Colour - Approved colour use.	150mg 2mg 1.80mg 0.75mg 3mg 25mg q.s	WHO	FSC			